PALM INTRANET

Day : Friday
Date: 5/26/2006
Time: 14:52:36

# Inventor Information for 10/014268

| Inventor Name | City | State/Country |
|---|---|---|
| DEBE, MARK KEVITT | STILLWATER | MINNESOTA |

Appln Info | Contents | Petition Info | Atty/Agent Info | Continuity Data | Foreign Data | Inventors

**Search Another: Application#** [ ] Search **or Patent#** [ ] Search

**PCT /** [ ] / [ ] Search **or PG PUBS #** [ ] Search

**Attorney Docket #** [ ] Search

**Bar Code #** [ ] Search

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

| | | | | | |
|---|---|---|---|---|---|
| US 20060088746 A1 | 20060427 | Passive dual-phase cooling for fuel cell assemblies | 429/26 | 429/34 | Tuma; Phillip E. et al. |
| US 20050069755 A1 | 20050331 | Fuel cell cathode catalyst | 429/44 | 502/101 | Vernstrom, George D. et al. |
| US 20040096724 A1 | 20040520 | Fuel cell stack | 429/37 | | Debe, Mark Kevitt et al. |
| US 20040096723 A1 | 20040520 | Fuel cell gasket | 429/35 | 429/30 | Debe, Mark Kevitt et al. |
| US 20040096715 A1 | 20040520 | Liquid cooled fuel cell stack | 429/26 | 429/37; 429/38 | Herdtle, Thomas et al. |
| US 20030138555 A1 | 20030724 | Thermal transfer of microstructured layers | 427/152 | | Debe, Mark K. et al. |
| US 20030059662 A1 | 20030327 | Flow field | 429/34 | 428/141; 429/39 | Debe, Mark Kevitt et al. |
| US 20030041444 A1 | 20030306 | Membrane electrode assemblies | 29/623.1 | 427/115; 429/40; 429/44 | Debe, Mark K. et al. |
| US 20020106501 A1 | 20020808 | Storage and delivery of gases in pressurized microbubbles | 428/305.5 | | Debe, Mark Kevitt |
| US 20020004453 A1 | 20020110 | Suboxide fuel cell catalyst for enhanced reformate tolerance | 502/339 | 502/325 | Haugen, Gregory M. et al. |
| US 20010024805 A1 | 20010927 | Method and devices for partitioning biological sample liquids into microvolumes | 435/29 | 435/305.1 | Williams, Michael G. et al. |
| US 6780536 B2 | 20040824 | Flow field | 429/38 | 429/34; 429/39 | Debe; Mark Kevitt et al. |
| US 6770337 | 20040803 | Thermal | 428/32.6 | 156/235; | Debe; Mark |

| | | | | | |
|---|---|---|---|---|---|
| B2 | | transfer of microstructured layers | | 427/146; 427/152; 428/32.8; 428/32.81 | K. et al. |
| US 6613106 B1 | 20030902 | Membrane electrode assemblies | 29/623.3 | 29/458; 29/527.1; 29/527.2; 29/527.3; 29/527.5; 29/527.6; 29/623.4; 29/623.5; 29/730; 29/731; 29/745 | Debe; Mark K. et al. |
| US 6521324 B1 | 20030218 | Thermal transfer of microstructured layers | | 156/235; 427/146; 977/701; 977/833; 977/890 | Debe; Mark K. et al. |
| US 6482763 B2 | 20021119 | Suboxide fuel cell catalyst for enhanced reformate tolerance | 502/101 | 204/192.11; 204/192.12; 219/121.6; 427/126.3; 427/250; 427/255.7; 427/419.2; 429/40; 429/44; 502/305; 502/309; 502/311; 502/314; 502/353 | Haugen; Gregory M. et al. |
| US 6432571 B1 | 20020813 | Membrane electrode assemblies | 429/41 | 204/283; 204/296; 29/623.3; 429/30; 429/32; 429/35; 429/36; 429/40; 429/42 | Debe; Mark K. et al. |
| US 6428584 B1 | 20020806 | Membrane electrode assemblies | 29/623.1 | 156/269; 156/281; 156/324; | Debe; Mark K. et al. |

| | | | | | |
|---|---|---|---|---|---|
| | | | | 204/283; 204/296; 29/746; 429/40; 429/41; 429/42; 429/44 | |
| US 6425993 B1 | 20020730 | Membrane electrode assembly and method of its manufacture | 204/296 | 204/283; 428/421; 428/473.5; 428/474.4; 428/522; 429/33 | Debe; Mark K. et al. |
| US 6391578 B2 | 20020521 | Method and devices for partitioning biological sample liquids into microvolumes | 435/39 | 435/288.3; 435/288.4; 435/29; 435/31; 435/34 | Williams; Michael G. et al. |
| US 6319293 B1 | 20011120 | Membrane electrode assembly | 29/623.3 | 204/282; 204/283; 204/290.01; 204/290.05; 204/290.11; 204/296; 29/623.1; 29/729; 29/730; 29/746; 429/40; 429/41; 429/42; 429/44 | Debe; Mark K. et al. |
| US 6238534 B1 | 20010529 | Hybrid membrane electrode assembly | 204/416 | 204/280; 204/291; 204/292; 204/415; 429/40; 429/41 | Mao; Shane S. et al. |
| US 6183668 B1 | 20010206 | Membrane electrode assemblies | 252/510 | 204/296; 252/502; 252/519.3; 252/519.33; 29/623.5 | Debe; Mark K. et al. |
| US 6136412 | 20001024 | Microtextured | 428/143 | 216/35; | Spiewak; |

| | | | | | |
|---|---|---|---|---|---|
| A | | catalyst transfer substrate | | 29/623.1; 422/177; 427/384; 428/144; 428/148; 428/323; 428/328; 428/411.1; 428/413; 428/421; 428/457; 428/473.5; 428/474.4; 428/522; 428/524 | Brian Edward et al. |
| US 6042959 A | 20000328 | Membrane electrode assembly and method of its manufacture | 429/33 | 204/283; 204/296; 29/623.3; 429/40; 429/41; 429/42 | Debe; Mark K. et al. |
| US 6040077 A | 20000321 | Catalyst for membrane electrode assembly and method of making | 429/40 | 204/290.06; 204/290.09; 204/290.11; 204/415; 204/418; 429/42; 429/44 | Debe; Mark K. et al. |
| US 6004494 A | 19991221 | Method for preparing sensors based on nanostructured composite films | 264/104 | 264/108; 264/261 | Debe; Mark K. |
| US 5910378 A | 19990608 | Membrane electrode assemblies | 429/42 | 204/282; 204/283; 204/296; 428/304.4; 428/305.5; 428/306.6; 428/308.4; 428/311.11; 428/315.7; 429/40; 429/41 | Debe; Mark K. et al. |

| | | | | | |
|---|---|---|---|---|---|
| US 5879828 A | 19990309 | Membrane electrode assembly | 429/41 | 204/280; 204/282; 204/290.11; 204/290.12; 204/290.14; 204/296; 428/201; 428/202; 428/209; 428/221; 428/323; 428/327; 428/336; 428/338; 428/357; 428/364; 428/372; 428/378; 429/40; 429/42; 429/44 | Debe; Mark K. et al. |
| US 5879827 A | 19990309 | Catalyst for membrane electrode assembly and method of making | 429/40 | 204/279; 204/280; 204/290.08; 428/201; 428/202; 428/209; 428/221; 428/323; 428/327; 428/336; 428/338; 428/357; 428/364; 428/372; 428/378 | Debe; Mark K. et al. |
| US 5726524 A | 19980310 | Field emission device having nanostructured emitters | 313/309 | 204/192.1; 204/192.38; 313/310; 313/336; 313/346R; 313/351; 313/495; 427/249.7; 427/250; 427/255.38; | Debe; Mark K. |

| | | | | | |
|---|---|---|---|---|---|
| | | | | 427/255.6; 427/508; 427/521; 427/577; 427/578; 427/579 | |
| US 5709943 A | 19980120 | Biological adsorption supports | 428/378 | 428/379; 428/380 | Coleman; Patrick L. et al. |
| US RE35692 E | 19971216 | Method for making composite article comprising oriented microstructures | 427/154 | 156/247; 204/192.14; 204/192.26; 257/E31.13; 427/155; 427/160; 427/162; 427/255.6 | Debe; Mark K. |
| US 5674592 A | 19971007 | Functionalized nanostructured films | 428/161 | 427/434.4; 428/141; 428/164; 428/172; 428/378; 428/380 | Clark; John C. et al. |
| US 5666949 A | 19970916 | Exposure indicator with continuous alarm signal indicating multiple conditions | 128/202.22 | 116/206; 128/201.25; 128/202.27; 128/205.22; 128/205.23; 128/206.17; 128/206.21; 374/162; 96/417; 96/419 | Debe; Mark K. et al. |
| US 5659296 A | 19970819 | Exposure indicating apparatus | 340/632 | 128/202.22; 128/205.23; 128/206.17; 340/573.1 | Debe; Mark K. et al. |
| US 5645929 A | 19970708 | Composite article comprising oriented microstructures | 428/323 | 204/192.14; 204/192.26; 257/E31.051; 428/327; 428/378; 428/409 | Debe; Mark K. |
| US 5459016 A | 19951017 | Nanostructured thermal transfer donor | 430/201 | 428/156; 428/164; 428/195.1; | Debe; Mark K. et al. |

| | | | | | |
|---|---|---|---|---|---|
| | | element | | 428/202; 428/209; 428/336; 428/337; 428/341; 428/913; 428/914; 430/200; 430/271.1; 430/275.1; 430/964 | |
| US 5418007 A | 19950523 | Method for making composite article comprising oriented microstructures | 427/154 | 156/247; 204/192.14; 204/192.26; 257/E31.051; 257/E31.13; 427/155; 427/160; 427/162; 427/255.6 | Debe; Mark K. |
| US 5387462 A | 19950207 | Sensors based on nanostructured composite films | 428/323 | 428/142; 428/143; 428/221; 428/223; 428/336; 428/338; 428/500; 428/688 | Debe; Mark K. |
| US 5352651 A | 19941004 | Nanostructured imaging transfer element | 503/227 | 427/146; 427/152; 428/195.1; 428/321.3; 428/910; 428/913; 428/914; 430/201; 430/207; 430/496; 430/964 | Debe; Mark K. et al. |
| US 5338430 A | 19940816 | Nanostructured electrode membranes | 204/412 | 204/414; 204/415; 204/416; 204/418; 204/419; 204/421; 204/424; | Parsonage; Edward E. et al. |

| | | | | | |
|---|---|---|---|---|---|
| | | | | 204/426 | |
| US 5336558 A | 19940809 | Composite article comprising oriented microstructures | 428/323 | 257/E31.051; 257/E31.13; 428/327; 428/357; 428/378; 428/409 | Debe; Mark K. |
| US 5326619 A | 19940705 | Thermal transfer donor element comprising a substrate having a microstructured surface | 428/32.8 | 428/156; 428/202; 428/209; 428/336; 428/337; 428/341; 428/913; 428/914; 430/200; 430/201; 430/253; 430/271.1; 430/275.1; 430/276.1; 430/964 | Dower; William V. et al. |
| US 5238729 A | 19930824 | Sensors based on nanosstructured composite films | 428/142 | 428/143; 428/221; 428/223; 428/323; 428/336; 428/338; 430/56 | Debe; Mark K. |
| US 5176786 A | 19930105 | Organic thin film controlled molecular epitaxy | 117/105 | 117/919; 117/925 | Debe; Mark K. |
| US 5139592 A | 19920818 | Low gravity enhanced growth of phthalocyanine polymorphs and films | 117/109 | 117/901; 117/925; 23/294R | Debe; Mark K. |
| US 5039561 A | 19910813 | Method for preparing an article having surface layer of uniformly oriented, crystalline, | 427/255.6 | 204/192.14; 204/192.26; 427/160; 427/162; 427/255.7; 427/384; 427/385.5; | Debe; Mark K. |

| | | | | | |
|---|---|---|---|---|---|
| | | organic microstructures | | 427/404; 427/407.1 | |
| US 4950579 A | 19900821 | Optical disc recording medium having a microstructure-derived inhomogeneity or anisotropy | 430/270.16 | 430/270.15; 430/290; 430/346; 430/945 | Debe; Mark K. et al. |
| US 4940854 A | 19900710 | Organic thin film controlled molecular epitaxy | 428/411.1 | 427/350; 427/419.8; 428/689; 428/910 | Debe; Mark K. |
| US 4812352 A | 19890314 | Article having surface layer of uniformly oriented, crystalline, organic microstructures | 428/142 | 428/143; 428/221; 428/323; 428/336; 428/338; 428/357; 428/461; 428/500; 428/688; 430/128; 430/56 | Debe; Mark K. |
| US 4620963 A | 19861104 | Vapor transport reactor with composite metal-glass tube | 422/240 | 118/719; 118/726 | Debe; Mark K. |